

Specification Sheet

Part Number: FEWM24



Wall Mount Fiber Enclosure—Unloaded, accepts 4 Adapter Panels, 2 Splice Trays, Black, 1/pkg

Article Number	855-04208
Type	FEWM24
Color	Black (BK)
Features & Benefits	<ul style="list-style-type: none">• Durable stainless steel construction for long life.• Cable management spools for effective slack management.• Bend radius control to minimize hand and wrist strain.• Smooth grommet entry to protect cables from damage.• Locking tab for added security.• Meet ANSI/TIA/EIA 568-C standards.
Quantity Per	box

Product Description

To effectively manage optical fiber terminations and splices, HellermannTyton offers a line of wall mount enclosures. They provide a termination solution for LAN applications requiring fully enclosed wall mount enclosures. This product is designed to support up to four modular adapter panels, providing the flexibility to have up to 36 fibers when fully loaded. This enclosure houses two splice trays.

Short Description	Wall Mount Fiber Enclosure—Unloaded, accepts 4 Adapter Panels, 2 Splice Trays, Black, 1/pkg
Global Part Name	FEWM24
Technical Description	Wall Mount Fiber Enclosure - Unloaded, accepts 4 Adapter Panels, 2 Splice Trays, Black
Local Order Number 2	FEWM24
Port Count	48 24 96
Length L (Imperial)	3.5
Length L (Metric)	88.9
Variant	Wall mount
Width W (Imperial)	15.0
Width W (Metric)	381.0
Height H (Imperial)	15.63
Height H (Metric)	397.0
Depth D (imperial)	3.7
Depth D (metric)	93.98

Material	Metal (MET)
Material Shortcut	MET
Package Quantity(Imperial)	1
Package Quantity (Metric)	1
Customs Number	8538907080