





LOC	DIST	P	F	ZONE	LTR	DESCRIPTION	DATE	APPD
CM	54				B	REV PER EC 0G3B-0018-99	06-JUL-99	KW DB



1. POST TO WITHSTAND 13 NEWTONS (3LBS.) MIN. AXIAL FORCE IN BOTH DIRECTIONS SHOWN WITHOUT DISLODGING.
2. TOLERANCES APPLY TO SOLDER SIDE OF BOARD.
3. MEASURED AT SURFACE -A-
4. PLASTIC FLASH PERMITTED IN THIS AREA.
5. PARTS COMPLY WITH AMP SOLDERABILITY SPEC. NO. 109-11-2.
6. ONE HOLE MAY BE UNDERSIZED (.035/.032 DIA.) FOR ASSEMBLY RETENTION DURING WAVE SOLDERING.
7. MATERIAL: HEADER-THERMOPLASTIC POLYESTER 94V-0 (NATURAL) POST-COPPER ALLOY (TIN PLATED)
8. COORDINATE DIMENSION APPLIES FROM CENTER OF ACTUAL FEATURE.
9. PLASTIC BURRS CAUSED BY CUT-OFF TOOLING ARE PERMITTED WITHIN THE MAXIMUM TOLERANCE ENVELOPE.
10. POST TO BE MEASURED WHEN STRIP IS HELD FLAT.
11. POST MUST WITHSTAND TWO 90° BENDS AGAINST EXTRUSION WITHOUT BREAKING.
12. DIMENSION SHOULD BE .130 MIN WHEN MATING WITH A MTA 100 CONNECTOR ASSEMBLY OR WHEN MATING WITH A CST 100 CONNECTOR.
13. PIN BURR OF .005 MAX VERTICAL AND .003 MAX HORIZONTAL PERMITTED AT POST TIPS ON BOTH ENDS.



644692-1 SHOWN

	.063	1.60	-	-
	.050	1.27	-	-
	.040	1.02	2.400	60.96
	.035	0.89	1.000	25.40
	.032	0.81	.535	13.59
	.025	0.64	.310	7.87
	.020	0.51	.295	7.49
	.015	0.38	.225	5.72
	.010	0.25	.200	5.08
	.008	0.20	.140	3.56
	.005	0.13	.130	3.30
	.003	0.08	.125	3.18
	.001	0.03	.100	2.54
	IN	MM	IN	MM

METRIC

THIS DRAWING IS A CONTROLLED DOCUMENT FOR AMP INCORPORATED. IT IS SUBJECT TO CHANGE AND THE CONTROLLING ENGINEERING ORGANIZATION SHOULD BE CONTACTED FOR THE LATEST REVISION.

3		644692-2	
2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24		644692-1	
POST NO. OMITTED		PART NO	
DO NOT SCALE PRINT. UNLESS SPECIFIED DIMENSIONS IN mm [INCHES] TOLERANCES ON: 2 PLC DEC ± .005 ANGLES ± 0°30'		AMP Incorporated Harrisburg, PA 17105-3508	
DR 1-11-93 B. LEWIS		NAME MTA 100 HEADER ASSEMBLY, FRICTION LOCK, NOTCHED, .025 SQUARE STRAIGHT POST, TIN PLATED, 24 POSITION, OMITTED POST	
CHK 1-11-93 R. SWING		SIZE D	
APPD 1-26-93 D. CLARK		CAGE CODE 00779	
APPD 1-26-93 D. CLARK		DRAWING NO C-644692	
MATERIAL		SCALE 8:1	
PRODUCT SPEC		SHEET 1 OF 1	
FINISH		CUSTOMER DRAWING	
APPLICATION SPEC			
WEIGHT			