




COUNT	DESCRIPTION OF REVISIONS	BY	CHKD	DATE	COUNT	DESCRIPTION OF REVISIONS	BY	CHKD	DATE





CL No.	PART No.	A	B	C	D	E
CL578-0801-2-91	FX8C-60S-SV(91)	24.6	23.05	20.8	17.4	22.2
CL578-0803-8-91	FX8C-80S-SV(91)	30.6	29.05	26.8	23.4	28.2
CL578-0805-3-91	FX8C-100S-SV(91)	36.6	35.05	32.8	29.4	34.2
CL578-0806-6-91	FX8C-120S-SV(91)	42.6	41.05	38.8	35.4	40.2
CL578-0807-9-91	FX8C-140S-SV(91)	48.6	47.05	44.8	41.4	46.2

1	POLYPHENYLENE SULFIDE	LIGHT BROWN	UL94V-0	2	PHOSPHOR BRONZE	CONTACT AREA : GOLD 0.1μm min. MOUNTING AREA : GOLD FLASH
NO.	MATERIAL	FINISH, REMARKS	NO.	MATERIAL	FINISH, REMARKS	UNDER PLATING : NICKEL 1.5μm min.
CODE NO. (OLD)			DESIGNED	CHECKED	APPROVED	RELEASED
			DRAWN			
			T. Noda	H. Okawa	H. Okawa	
			'05.03.16	'05.03.16	'05.03.16	
DRAWING NO.	EDC3-151022-21		PART NO.	FX8C-※S-SV(91)		
SCALE	5 : 1		CODE NO.	CL578		
UNITS	mm					

- NOTE 1 LEAD CO-PLANARITY SHALL BE 0.1 mm MAX.
 2 FOR DETAILS, SEE THE SECTION CONCERNING THE DELIVERY FORM ON NEXT PAGE.
 3 FOR MODIFICATION, ETC., PREVENTIVE HOLE FOR SINK MARK MAY BE ADDED DEPENDS ON CIRCUMSTANCES.
 4 THE DIMENSIONS IN PARENTHESES ARE FOR REFERENCE.

TO	
PCK	

NO.	COUNT	DESCRIPTION OF REVISIONS	BY	CHKD	DATE	COUNT	DESCRIPTION OF REVISIONS	BY	CHKD	DATE
1	1					1				
2	1					1				
3	1					1				



DELIVERY FORM (TUBE PACKAGING)

NUMBER OF CONTACTS (CONTACTS)	60	80	100	120	140
PRODUCT CONTENT (PCS)	21	17	14	12	10

NOTE. THE DIMENSIONS IN PARENTHESES ARE FOR PREFERENCE.

POLYVINYL CHLORIDE STOPPER		POLYVINYL CHLORIDE TUBE		3 (CONNECTOR)				
NO.	MATERIAL	FINISH, REMARKS	DRAWN	DESIGNED	CHECKED	APPROVED	FINISH, REMARKS	RELEASED
2			T. Noda	K. Doi	H. Okawa	H. Okawa		
1			'05.03.16	'05.03.16	'05.03.16	'05.03.16		

CODE NO. (OLD)		CODE NO.	
SCALE	FREE	DRAWING NO.	EDC3-151022-21
UNITS	mm	PART NO.	FX8C-S-SV(91)
			CL578

TO	
PCK	