


SUGGESTED PAD LAYOUT

SCALE: 7:1



SCHEMATIC

LF version	Contact area (1 face)	Terminal area (2 faces)
LFS	0.5 um min Ag plate over 1.3 um min Nickel plate	0.2-0.6 um Ag plate all over 1.3 um Ni plate all over

Reference	Designation	Plating	Switching Force (N)
YT1053520FP LFS	KT11P3SM34LFS	SILVER	1.725 TO 2.875

TOLERANCE:  
 LINEAR: ± 0.12  
 ANGLUAR: ± 3°

FOR REFERENCE ONLY  
 仅供参考  
 THIS PRINT WILL NOT BE UPDATED  
 不作自动更新

<b>DO NOT SCALE</b>				PDM:		A3/B	
Drawn	CDY	03-Apr-06	Material:	 3rd ANGLE PROJECTION	 ITT Industries Cannon Electronics (SZ) Co. Ltd.	Pro/E Generic Model	
Checked	KT	03-Apr-06					
Engineer	CDY	03-Apr-06	Treatment:	 Surface Roughness	Toupandun Industrial Area, Jinda Cheng, Xiner Village, Shajing Town, Baoan District, Shenzhen City PRC 518125	KT11P3SMLF <sub>x</sub>	
Manufact.							
Assembly			Unless Specified	 Unless Specified	Ref:	Drwg. No. <b>CU_T1.M02.003_FP</b>	
Quality							
Approvals	Sign	Date	Dimensions in: mm	Cust Spec No:	Scale 10:1	Sheet 1 of 1	
This is issued in strict confidence on condition that it is not used as a basis for manufacture or sale and that it is not copied, reprinted or disclosed to a third party either wholly or in part without the prior written consent of ITT Industries © 31-Mar-06							iss/rev -